Possible side-effects

This medicine is unlikely to cause side-effects unless. your child is allergic to the ingredients. If your child experiences any of the following, stop giving the medicine and seek immediate medical help:

 Unexplained wheezing or difficulty in breathing. swelling of the face, lips, tongue or throat.

Reporting of side-effects

If your child gets any side-effects, talk to your doctor, pharmacist or nurse. This includes any possible side-effects not listed in this carton. You can also report side-effects directly via the Yellow Card Scheme at: www.mhra.gov.uk/vellowcard By reporting side-effects you can help provide more information on the safety of this medicine.

Storing this medicine

Do not give this medicine after the expiry date shown on the bottle. Keep the bottle tightly closed. There are no special storage instructions for this medicine. Keep out of the reach and sight of children. Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment. Retain carton for full instructions.

Further information What's in this medicine

The active ingredients in each 5 ml of medicine are:

Glycerin 0.75 ml and Liquid Sugar 1.93 ml. Other ingredients are: Citric acid monohydrate, sodium benzoate (E211), anthocyanin, blackcurrant flavour, blackcurrant juice, liquid glucose and purified water.

What the medicine looks like



Calcough Children's Soothing Syrup is a clear, purple liquid available in 125 ml bottles.

The Marketing Authorisation holder is BCM, Nottingham, NG2 3AA

The manufacturer is BCM Ltd, Nottingham, NG2 3AA. Distributed by: McNeil Products Ltd. Maidenhead. Berkshire, SL6 3UG, UK.

PL 00014/0307

This carton was revised in May 2015.

CalCough is a registered trade mark. Design is an applied trade mark.



125 ml **C**



Children's

Soothing Syrup

Effectively relieves dry, tickly coughs and sore throats

What this medicine is for

Calcough Children's Soothing Syrup is a non-drowsy cough liquid, which relieves dry, tickly coughs and sore throats.

Before giving this medicine to your child

This product is suitable for most people, but a few people should not use it. If you are in any doubt you should contact your doctor or pharmacist.

Do not give your child this medicine...

- If s/he is under 1 year old.
- . If s/he is allergic to any of the ingredients.

☑ Talk to your doctor or pharmacist

If your child has an intolerance to some sugars.

A Some of the ingredients can cause problems

- This product contains 0.8 g glucose and 1.7 g sucrose in each 5 ml, which may be harmful to the teeth. If you have been told by your doctor that your child has an intolerance to some sugars, contact your doctor before using this medicine. This should be taken into account in patients with diabetes.
- · Carbohydrate content of this medicine is 3.4 a per 5 ml.



Children's **Soothing Syrup** Glycerin & Liquid Sugar

n's

dre

-

S

Effectively relieves dry, tickly coughs and sore throats



ackcurrant Flavou



Children's Soothing Syrup

How to use this medicine

Check the information below to see how much medicine to give.

- For oral use only.
- . Do not give more than the stated dose shown below
- Do not overfill the spoon.

There is a double-ended spoon in the pack.

() Children under 1 year

Do not give to children under 1 year old.

Children 1 year and over and Adults

DOSE AGE One 5 ml spoonful Children 1 - 5 years

Children 5 years and over and adults (including the elderly)

Two 5 ml spoonfuls

- Give the dose 3 or 4 times within 24 hours. if needed.
- . If symptoms persist, consult your doctor.

A If anyone has taken too much

If anyone has taken too much of this product, contact a doctor or your nearest Accident & Emergency Department (Casualty), taking this pack with you.

If you forget to give the medicine

If you forget a dose, give the next dose when needed. Do not give a double dose.

125 ml **C**

DOSAGE: For oral use only: Use the measuring spoon provided. 1+Year Children 1 to 5 years: One 5 ml spoonful. Children 5 years and over (including adults and the elderly): CalCough Two 5 ml spoonfuls. Not suitable for children under 1 year. Give the dose 3 of 4 times. within 24 hours, if needed. Please consult your doctor or pharmacist Children's if symptoms persist. Read and retain carton for full instructions. Keep bottle tightly closed. There are no special storage instructions. Soothing Syrup CONTENTS: Each 5 ml of oral liquid contains: Giveen 0.75 ml. Liquid Sugar 1.93 ml. Other ingredients include: Liquid glucose. Carbohydrate content 3.4 g per 5 ml. KEEP ALL MEDICINES OUT OF THE REACH AND SIGHT OF CHILDREN Effectively relieves dry, tickly coughs and Distributed by: McNeil Products Ltd, SL6 3UG, UK. PL 00014/0307 sore throats -

dry, tickly coughs and sore throats - Distilluted by: McNell Products Ltd, St.6 396, UK. Pt. 00014, Aerketing Authorisation Holder: BCM, Nottingham, NG2 3AA. Hendiacture: BCM ttd, Nottingham, NG2 3AA. 125 ml C