

Mucogel[®] Suspension

(dried aluminium hydroxide gel 220 mg/5 ml,
magnesium hydroxide 195 mg/5 ml)

A mint flavoured oral suspension for the prompt relief of acid indigestion, upset stomach(gastritis), stomach or duodenal ulcers, reflux and heartburn.

Also contains: E420, E218 and E216.

See leaflet inside for more information.

DOSES:

Adults, elderly and children over 12 years:

- Shake the bottle well before use.
- Take 10-20 ml three times a day 20-60 minutes after meals, and at bedtime, or as required.
- Tell your doctor if symptoms do not go away.

Children under 12 years: Not recommended.

Do not use after 28 days from opening.

Store below 25°C. Do not freeze.

Do not take after the expiry date.

The expiry date relates to the last day of that month.

BN

EXP

MA Holder: Chemidex Pharma Ltd,
Chemidex House, Egham, TW 20 8RB.
PL 17736/0113.

Keep out of the reach and sight of children.



500 ml

Peel back but do not remove

113/ALB500/m/3 - 204360



MUCOGEL SUSPENSION

DO NOT TAKE Mucogel Suspension if you:

- are allergic (hypersensitive) to any of the ingredients
- have severe kidney problems
- are severely weak or infirm.

CAUTION - consult your doctor or pharmacist if you are:

- taking vitamins or any other medicines
- taking tetracycline antibiotics
- pregnant.

Important information about some of the ingredients of Mucogel Suspension:

- **Hydroxybenzoates (E218 and E216)** - may cause allergic reactions (possibly delayed), e.g. rash, swelling of the face.
- **Sorbitol (E420)** - if you have an intolerance to some sugars tell your doctor before taking Mucogel.

If you take more than you should:

Problems are unlikely but tell your doctor or pharmacist straight away.

Side effects such as constipation or diarrhoea are unlikely.

Reporting of side effects

If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this leaflet. You can also report side effects directly via the Yellow Card Scheme at: www.mhra.gov.uk/yellowcard

By reporting side effects you can help provide more information on the safety of this medicine.

MUCOGEL SUSPENSION

Unwanted medicines:

Take to your pharmacist for disposal.

What Mucogel Suspension contains:

Active ingredients:

dried aluminium hydroxide gel (220mg/5ml) and magnesium hydroxide (195mg/5ml).

Other ingredients:

sorbitol (E420), mannitol, hydrochloric acid, citric acid, methyl and propyl hydroxybenzoates (E218 and E216), simeticone emulsion, saccharin sodium, hydrogen peroxide, peppermint oil, sodium hypochlorite, purified water.

Manufacturer:

Purna Pharmaceuticals NV, Rijksweg 17,
2870 Puurs, Belgium.

Text revised: 10/2015